

# HEAVY DUTY DRUM

## 200L




The UC Heavy Duty Drum is a high-quality and reusable drum with UN approval especially for ammonia. That makes it capable for handling of high-purity liquids in chemical, pharmaceutical and semiconductor industries.

### Benefits

- Very low content of trace metals and particles in the inner liner – semiconductor grade < 100 ppt
- Traceability identification label
- Double L-Ring, for high stability and easier handling
- High vapor pressure
- Minimal residual liquid
- UN approved Y Packaging Group II, 300 kpa tested
- Heavy version specifically developed for ammonia
- Recyclable

### Maximum safety with RIKUTEC-Solutions



### Accessories



**1** Universal Key



**2** Dip tube S62x5

- available with compensator for better chemical dispensing
- key-coded system

+



**3** Dispensing head

- Availability of simultaneously filling and extraction

=



# TECHNICAL DATA SHEET

## HEAVY DUTY DRUM 200L

Specifications	Heavy Duty Drum
Material inner layer	HDPE
Material outer layer	HDPE
Transport quantity	192 (Europe) or 208 (USA) per truck (8 per Pallet) 208 per Container 40ft
Bungs	2x S62 x 5mm / 2x2" modified buttress (1 vented and 1 non-vented)
Standard color	Natural White
Nominal capacity	200 liter / approx. 53 gal.
Height	581 x 955mm / approx. 22.9 in. x approx. 37.6 in.
Pallet stacking (empty)	Max. 3 pallets high
Pallet stacking (full)	2 pallets high
Weight	+/- 16kg / approx. 35.3 lbs
Prepared for extractor tubes	Quick Connect, Entegris
<b>Approvals</b>	
UN certification	1H1/Y1.2/300/.../D/BAM 6943 - RIKUTEC
<b>Standard liquid approvals</b>	<b>Density kg/l</b>
Water	1.2

### RIKUTEC Germany

RIKUTEC Germany GmbH & Co. KG  
 Graf-Zeppelin-Straße 1-5  
 57610 Altenkirchen | Germany  
 T +49 2681 9546 0 | F +49 2681 9546 33  
 info@rikutec.de | www.rikutec.de

### RIKUTEC America

2510-B W. Whitner St.  
 Anderson, SC 29624 | USA  
 T +1 508 234 7300  
 info@rikutec.com | www.rikutec.com

### RIKUTEC Asia

4th Fl., Hyojadong Building, 41-7  
 Jahamun-ro 24-gil | Jongno-gu  
 Seoul 03042 | Republic of Korea  
 T +82 2 797 0701  
 info@rikutec.asia | www.rikutec.asia